

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Term	Documents
ADJUSTING.USPT.	409084
ADJUSTINGS.USPT.	15
UNIT.USPT.	989472
UNITS.USPT.	513852
MEANS.USPT.	999
MEAN.USPT.	259695
(2 AND (ADJUSTING ADJ (MEANS OR UNIT))).USPT.	48
(L2 AND ADJUSTING ADJ (UNIT OR MEANS)).USPT.	48

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Database:

Search:

L16

[Refine Search](#)

Recall Text

[Clear](#)**Search History**DATE: Monday, September 16, 2002 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

*DB=USPT; PLUR=YES; OP=ADJ*Hit Count Set Name

result set

<u>L16</u>	L2 and adjusting adj (unit or means)	48	<u>L16</u>
<u>L15</u>	L2 and light near5 height adj adjust\$3	0	<u>L15</u>
<u>L14</u>	L2 and light near3 height adj adjust\$3	0	<u>L14</u>
<u>L13</u>	L11 and light near3 height adj adjust\$3	0	<u>L13</u>
<u>L12</u>	L11 and light same height adj adjust\$3	17	<u>L12</u>
<u>L11</u>	L2 and light and (adjust\$3 or chang\$3) and height	2914	<u>L11</u>
<u>L10</u>	L3 and input adj device near3 reflect\$3	11	<u>L10</u>
<u>L9</u>	L3 and input adj device same reflect\$3	98	<u>L9</u>
<u>L8</u>	L7 and optical adj unit	2	<u>L8</u>
<u>L7</u>	L5 and receiving adj reflect\$3 adj light	111	<u>L7</u>
<u>L6</u>	L5 and recieving adj reflected adj light	0	<u>L6</u>
<u>L5</u>	L4 and receiv\$3 and light and reflect\$3	1832	<u>L5</u>
<u>L4</u>	L3 and light adj receiv\$3	1832	<u>L4</u>
<u>L3</u>	L2 and reflect\$3	7490	<u>L3</u>
<u>L2</u>	L1 and light adj source\$3	9783	<u>L2</u>
<u>L1</u>	coordinate and input\$4	68012	<u>L1</u>

END OF SEARCH HISTORY

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	79526	coordinate\$12 and input\$4	USPA T	2002/09/1 6 09:02	
2	BRS	L2	10876	l1 and light\$3 adj source\$3	USPA T	2002/09/1 6 09:03	
3	BRS	L3	8197	l2 and reflect\$3	USPA T	2002/09/1 6 09:04	
4	BRS	L4	1978	l3 and light adj receiv\$3	USPA T	2002/09/1 6 09:05	
5	BRS	L5	0	l4 and coordinate adj input adj plate	USPA T	2002/09/1 6 09:05	
6	BRS	L6	0	l4 and coordinate adj input adj plane	USPA T	2002/09/1 6 09:07	
7	BRS	L7	40	l4 and coordinate adj input	USPA T	2002/09/1 6 09:07	

EAST 9/16/02

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Term	Documents
OPTICAL.USPT.	394092
OPTICALS.USPT.	133
UNIT.USPT.	989472
UNITS.USPT.	513852
(7 AND (OPTICAL ADJ UNIT)).USPT.	2
(L7 AND OPTICAL ADJ UNIT).USPT.	2

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L8

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Monday, September 16, 2002 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L8</u>	L7 and optical adj unit	2	<u>L8</u>
<u>L7</u>	L5 and receiving adj reflect\$3 adj light	111	<u>L7</u>
<u>L6</u>	L5 and recieving adj reflected adj light	0	<u>L6</u>
<u>L5</u>	L4 and receiv\$3 and light and reflect\$3	1832	<u>L5</u>
<u>L4</u>	L3 and light adj receiv\$3	1832	<u>L4</u>
<u>L3</u>	L2 and reflect\$3	7490	<u>L3</u>
<u>L2</u>	L1 and light adj source\$3	9783	<u>L2</u>
<u>L1</u>	coordinate and input\$4	68012	<u>L1</u>

END OF SEARCH HISTORY